

CONTENTS OF VOLUME 39

Number 1

P.A. Thrower and L.R. Radovic	1	Editorial
R.D. Vidic and D.P. Siler	3	Vapor-phase elemental mercury adsorption by activated carbon impregnated with chloride and chelating agents
G.F. Glasier and P.D. Pacey	15	Formation of pyrolytic carbon during the pyrolysis of ethane at high conversions
C. Pelekani and V.L. Snoeyink	25	A kinetic and equilibrium study of competitive adsorption between atrazine and Congo red dye on activated carbon: the importance of pore size distribution
W. Lu and D.D.L. Chung	39	Preparation of conductive carbons with high surface area
E. Cocchieri Botelho, N. Scherbakoff and M.C. Rezende	45	Porosity control in glassy carbon by rheological study of the furfuryl resin
J. Hlavatý, J. Rathouský, A. Zukal and L. Kavan	53	Carbonization of 1,4-diiodo-1,3-butadiyne and 1-iodo-1,3,5-hexatriyne inside the MCM-41 molecular sieve
F. Rodríguez-Reinoso, M. Martínez-Escandell, P. Torregrosa, H. Marsh, C. Gómez de Salazar and E. Romero-Palazón	61	Pyrolysis of petroleum residues. III. Kinetics of pyrolysis
E. Casal, M. Granda, J. Bermejo, J. Bonhomme and R. Menéndez	73	Influence of porosity on the apparent interlaminar shear strength of pitch-based unidirectional C-C composites
H. Hatta, K. Suzuki, T. Shigei, S. Somiya and Y. Sawada	83	Strength improvement by densification of C/C composites
Y.Y. Li, S.D. Bae, A. Sakoda and M. Suzuki	91	Formation of vapor grown carbon fibers with sulfuric catalyst precursors and nitrogen as carrier gas
E. Ando, S. Onodera, M. Iino and O. Ito	101	Electric conductivity changes of polypyrrole and polythiophene films with heat-treatment
S. di Stasio	109	Electron microscopy evidence of aggregation under three different size scales for soot nanoparticles in flame
J. Yamashita, M. Shioya, T. Hashimoto and A. Takaku	119	Influences of internal stress arising during carbonization of polycarbodiimide. Part I. Development of inhomogeneous microtexture of the carbon film
J. Yamashita, M. Shioya, T. Hashimoto and A. Takaku	129	Influences of internal stress arising during carbonization of polycarbodiimide. Part II. Development of inhomogeneous microtexture and fragmentation of the carbon/carbon composite film
		<i>Letters to the Editor</i>
J. Kalman, C. Nordlund, H.K. Patney, L.A. Evans and M.A. Wilson	137	Order in carbons produced by plasma arcing in the presence of cobalt
C.H. Liu, W. Peng and L.M. Sheng	144	Carbon and boron nanoparticles by pulsed-laser vaporization of boron carbide in liquids

M.T. Beck, J. Szépvölgyi, P. Szabó and E. Jakab	147	Heterogeneous Diels-Alder reaction between cyclopentadiene and different solid carbons
Y. Hishiyama and M. Inagaki	150	Lattice parameter changes in graphite with boron doping
A. Cao, L. Ci, G. Wu, B. Wei, C. Xu, J. Liang and D. Wu	152	An effective way to lower catalyst content in well-aligned carbon nanotube films
A.T. Matveev, D. Golberg, V.P. Novikov, L.L. Klimkovich and Y. Bando	155	Synthesis of carbon nanotubes below room temperature

Number 2

X.K. Li, L. Liu, Y.X. Zhang, S.D. Shen, S. Ge and L.C. Ling	159	Synthesis of nanometre silicon carbide whiskers from binary carbonaceous silica aerogels
G.L. Vignoles	167	Image segmentation for phase-contrast hard X-ray CMT of C/C composites
A.E. Aksoylu, M. Madalena, A. Freitas, M.F.R. Pereira and J.L. Figueiredo	175	The effects of different activated carbon supports and support modifications on the properties of Pt/AC catalysts
J. Zawadzki, M. Wiśniewski, J. Weber, O. Heintz and B. Azambre	187	IR study of adsorption and decomposition of propan-2-ol on carbon and carbon-supported catalysts
P.J.M. Carrott, M.M.L.R. Carrott and I.P.P. Cansado	193	Reference data for the adsorption of methanol on carbon materials
A. Srivastava, A.K. Srivastava and O.N. Srivastava	201	Curious aligned growth of carbon nanotubes under applied electric field
J. Yamashita, M. Shioya, T. Kikutani and T. Hashimoto	207	Activated carbon fibers and films derived from poly(vinylidene fluoride)
B. Reznik, D. Gerthsen and K.J. Hüttinger	215	Micro- and nanostructure of the carbon matrix of infiltrated carbon fiber felts
E. Raymundo-Piñero, D. Cazorla-Amorós and A. Linares-Solano	231	Temperature programmed desorption study on the mechanism of SO ₂ oxidation by activated carbon and activated carbon fibres
V.V. Kovalevski, P.R. Buseck and J.M. Cowley	243	Comparison of carbon in shungite rocks to other natural carbons: An X-ray and TEM study
T. Takeichi, Y. Yamazaki, M. Zuo, A. Ito, A. Matsumoto and M. Inagaki	257	Preparation of porous carbon films by the pyrolysis of poly-(urethane-imide) films and their pore characteristics
P.A. Gauden, A.P. Terzyk and G. Rychlicki	267	The new correlation between microporosity of strictly microporous activated carbons and fractal dimension on the basis of the Polanyi-Dubinin theory of adsorption
D.D.L. Chung	279	Electromagnetic interference shielding effectiveness of carbon materials

Letters to the Editor

- K. Fukuyama, Y. Kasahara, N. Kasahara, A. Oya and K. Nishikawa** 287 Small-angle X-ray scattering study of the pore structure of carbon fibers prepared from a polymer blend of phenolic resin and polystyrene
- O.N. Stavinskaya, E.I. Oranskaya and V.K. Imshennik** 291 On the effect of surface oxygen complexes on iron-catalyzed carbon hydrogenation
- Y. Tanabe, K. Hoshi, M. Ishibashi, T. Akatsu and E. Yasuda** 294 Effect of the size and the amount of surface functional groups of inclusions on microstructure development in Furan resin-derived carbon
- M. Kijima, H. Tanimoto, H. Shirakawa, A. Oya, T.-T. Liang and Y. Yamada** 297 Poly(phenylenebutadiynylene)s as an efficient carbonizing precursor
- N. Akuzawa, K. Yamamoto and Y. Takahashi** 300 Effect of inserted molecules on the electrical conductivity of C_{54}
- K. Kobashi and T. Tachibana** 303 Formation of fibrous structures on glass-like carbon by hydrogen plasma treatment under DC bias
- A.D. Rey** 306 Tate's law for carbonaceous mesophases
- P. Lodewyckx, D. Van Rompaey, L. Verhoeven and E.F. Vansant** 309 Water isotherms of activated carbons with small amounts of surface oxygen groups: fitting the mesopore region
- L. Cao, C. Gao, H. Sun, G. Zou, Z. Zhang, X. Zhang, M. He, M. Zhang, Y. Li, J. Zhang, D. Dai, L. Sun and W. Wang** 311 Synthesis of diamond from carbon nanotubes under high pressure and high temperature
- J. Ravier, F. Houzé, F. Carmona, O. Schneegans and H. Saadaoui** 314 Mesostructure of polymer/carbon black composites observed by conductive probe atomic force microscopy
- C. Vix-Guterl, J. Dentzer, P. Ehrburger, K. Méténier, S. Bonnamy and F. Béguin** 318 Surface properties and microtexture of catalytic multi-walled carbon nanotubes
- M.A. Rodríguez-Valero, M. Martínez-Escandell, M. Molina-Sabio and F. Rodríguez-Reinoso** 320 CO_2 activation of olive stones carbonized under pressure
- W. Ruland** 323 Apparent fractal dimensions obtained from small-angle scattering of carbon materials

Number 3

- L. Ci, J. Wei, B. Wei, J. Liang, C. Xu and D. Wu** 329 Carbon nanofibers and single-walled carbon nanotubes prepared by the floating catalyst method
- R. Shima-Edelstein, I. Gouzman and A. Hoffman** 337 The influence of surface roughness and chemical modification of silicon surfaces on dc-glow discharge enhanced diamond nucleation
- G.O. Wood** 343 Affinity coefficients of the Polanyi/Dubinin adsorption isotherm equations. A review with compilations and correlations

M.S. Mel'gunov, V.B. Fencelonov, R. Leboda and B. Charmas	357	Coke dispersion in carbon-mineral porous adsorbents
S. Wen and D.D.L. Chung	369	Effect of carbon fiber grade on the electrical behavior of carbon fiber reinforced cement
M. Hindermann-Bischoff and F. Ehrburger-Dolle	375	Electrical conductivity of carbon black-polyethylene composites. Experimental evidence of the change of cluster connectivity in the PTC effect
O.N. Kononova, A.G. Kholmogorov, A.N. Lukianov, S.V. Kachin, G.L. Pashkov and Y.S. Kononov	383	Sorption of Zn(II), Cu(II), Fe(III) on carbon adsorbents from manganese sulfate solutions
A. Huidobro, A.C. Pastor and F. Rodríguez-Reinoso	389	Preparation of activated carbon cloth from viscous rayon Part IV. Chemical activation
I. Mochida, C.-H. Ku and Y. Korai	399	Anodic performance and insertion mechanism of hard carbons prepared from synthetic isotropic pitches
K. Shibagaki and S. Motojima	411	Thermal behavior and effect of heat treatment in an inert gas on oxidized carbon microcoils
P. Davini	419	The effect of certain metallic derivatives on the adsorption of sulphur dioxide on active carbon
A. Baçaoui, A. Yaacoubi, A. Dahbi, C. Bennouna, R. Phan Tan Luu, F.J. Maldonado-Hodar, J. Rivera-Utrilla and C. Moreno-Castilla	425	Optimization of conditions for the preparation of activated carbons from olive-waste cakes
Z. Hu and K.J. Hüttinger	433	Chemistry and kinetics of chemical vapor deposition of pyrocarbon VIII. Carbon deposition from methane at low pressures
R. Marangoni, P. Serp, R. Feurer, Y. Kihn, P. Kalck and C. Vahlas	443	Carbon nanotubes produced by substrate free metalorganic chemical vapor deposition of iron catalysts and ethylene
S.A. Carabineiro, D.W. McKee and I.F. Silva	451	Uncatalysed and catalysed CO ₂ reaction using metal catalysts and binary vanadium mixtures supported on activated carbon
P.J.M. Carrott, M.M.L. Ribeiro Carrott and I.P.P. Cansado	465	Reference data for the adsorption of dichloromethane on carbon materials
<i>Letters to the Editor</i>		
J.W. Larsen, J. Jandzinski, M. Sidovar and J.L. Stuart	473	Carbon-catalyzed decompositions of hydrazine and hydroxylamine
J.I. Paredes, A. Martínez-Alonso and J.M.D. Tascón	476	Triangular versus honeycomb structure in atomic-resolution STM images of graphite
R.A. Reynolds III and R.A. Greinke	479	Influence of expansion volume of intercalated graphite on tensile properties of flexible graphite

Number 4

M. Granda, E. Casal, J. Bermejo and R. Menéndez	483	The influence of primary QI on the oxidation behaviour of pitch-based C/C composites
---	-----	--

W. Lu and D.D.L. Chung	493	Anodic performance of vapor-derived carbon filaments in lithium-ion secondary battery
G.F. Glasier, R. Filfil and P.D. Pacey	497	Formation of polycyclic aromatic hydrocarbons coincident with pyrolytic carbon deposition
A. Peigney, Ch. Laurent, E. Flahaut, R.R. Bacsa and A. Rousset	507	Specific surface area of carbon nanotubes and bundles of carbon nanotubes
S. Goeringer, N.R. de Tacconi, C.R. Chenthamarakshan, K. Rajeshwar and W.A. Wampler	515	Redox characterization of furnace carbon black surfaces
Yu.-C. Chiang, P.-C. Chiang and C.-P. Huang	523	Effects of pore structure and temperature on VOC adsorption on activated carbon
J.C.C. Freitas, T.J. Bonagamba and F.G. Emmerich	535	Investigation of biomass- and polymer-based carbon materials using ^{13}C high-resolution solid-state NMR
W.E. Alvarez, B. Kitiyanan, A. Borgna and D.E. Resasco	547	Synergism of Co and Mo in the catalytic production of single-wall carbon nanotubes by decomposition of CO
C.H. Yun, Y.H. Park and C.R. Park	559	Effects of pre-carbonization on porosity development of activated carbons from rice straw
Y. Ando, X. Zhao and H. Shimoyama	569	Structure analysis of purified multiwalled carbon nanotubes
H. Teng, Y.-T. Tu, Yu.-C. Lai and C.-C. Lin	575	Reduction of NO with NH_3 over carbon catalysts. The effects of treating carbon with H_2SO_4 and HNO_3
V.Kh. Dobruskin	583	Correlation between two- and three-dimensional condensations in cylindrical mesopores of active carbons
Y. Kaburagi, Y. Hishiyama, H. Oka and M. Inagaki	593	Growth of iron clusters and change of magnetic property with carbonization of aromatic polyimide film containing iron complex
M. Sakai, S. Shimizu, N. Miyajima, Y. Tanabe and E. Yasuda	605	Viscoelastic indentation on iodine-treated coal tar pitch
<i>Letters to the Editor</i>		
X. Luo and D.D.L. Chung	615	Graphite-graphite electrical contact under dynamic mechanical loading
J.M.C. Moreno, T. Fujino and M. Yoshimura	618	Carbon nanocells grown in hydrothermal fluids
Ph. Serp, R. Feurer, Ph. Kalck, Y. Kihn, J.L. Faria and J.L. Figueiredo	621	A chemical vapour deposition process for the production of carbon nanospheres
Y. Li, S. Xie, W. Zhou, D. Tang, X. Zou, Z. Liu and G. Wang	626	Nanographite ribbons grown from a SiC arc-discharge in a hydrogen atmosphere

Number 5

N. Oya and D.J. Johnson	635	Longitudinal compressive behaviour and microstructure of PAN-based carbon fibres
----------------------------	-----	--

- N. Miyajima, T. Akatsu,
O. Ito, R. Sakurovs,
S. Shimizu, M. Sakai,
Y. Tanabe and E. Yasuda
- Y.S. Park, Y.C. Choi,
K.S. Kim, D.-C. Chung,
D.J. Bae, K.H. An,
S.C. Lim, X.Y. Zhu
and Y.H. Lee
- L.M. Manocha, M. Patel,
S.M. Manocha,
C. Vix-Guterl and
P. Ehrburger
- C. Vix-Guterl, S. Shah,
J. Dentzer, P. Ehrburger,
L.M. Manocha, M. Patel
and S. Manocha
- A. Bougrine,
N. Dupont-Pavlovsky,
A. Naji, J. Ghanbaja,
J.F. Maréché and
D. Billaud
- A.B. Fuertes
- A. Subrenat, J.N. Baléo,
P. Le Cloirec and
P.E. Blanc
- E. McRae and
J. Walter
- C. Li and T.C. Brown
- I. Menendez and
A.B. Fuertes
- D. Lozano-Castelló,
M.A. Lillo-Ródenas,
D. Cazorla-Amorós
and A. Linares-Solano
- M.A. Lillo-Ródenas,
D. Lozano-Castelló,
D. Cazorla-Amorós and
A. Linares-Solano
- J.L. Hutchison, N.A. Kiselev,
E.P. Krinichnaya,
A.V. Krestinin,
R.O. Loutfy,
A.P. Morawsky,
V.E. Muradyan,
E.D. Obraztsova,
J. Sloan, S.V. Terekhov
and D.N. Zakharov
- 647 The rheological behavior during carbonization of iodine-treated coal tar pitch
- 655 High yield purification of multiwalled carbon nanotubes by selective oxidation during thermal annealing
- 663 Carbon/carbon composites with heat-treated pitches. I. Effect of treatment in air on the physical characteristics of coal tar pitches and the carbon matrix derived therefrom
- 673 Carbon/carbon composites with heat-treated pitches. II. Development of porosity in composites
- 685 Influence of high temperature treatments on single-walled carbon nanotubes structure, morphology and surface properties
- 697 Effect of air oxidation on gas separation properties of adsorption-selective carbon membranes
- 707 Electrical behaviour of activated carbon cloth heated by the joule effect: desorption application
- 717 Raman spectroscopy and *c*-axis resistivity of BiCl₃-intercalated graphite
- 725 Carbon oxidation kinetics from evolved carbon oxide analysis during temperature-programmed oxidation
- 733 Aging of carbon membranes under different environments
- 741 Preparation of activated carbons from Spanish anthracite. I. Activation by KOH
- 751 Preparation of activated carbons from Spanish anthracite. II. Activation by NaOH
- 761 Double-walled carbon nanotubes fabricated by a hydrogen arc discharge method

Letters to the Editor

- J.F. Marêché,**
D. Bégin, G. Furdin,
S. Puricelli, J. Pajak,
A. Albinia,
M. Jasienko-Halat and
T. Siemienińska
- L. Zhou, M. Li,**
Y. Sun and Y. Zhou
- F. Rodríguez-Reinoso,**
M. Molina-Sabio and
J.C. González
- H. Konno, T. Erata,**
K. Fujita, Y. Aoki,
K. Shiba and N. Inoue
- T. Kyotani, S. Nakazaki,**
W.-H. Xu and
A. Tomita
- A.T. Matveev, D. Golberg,**
V.P. Novikov,
L.L. Klimkovich
and Y. Bando
- 771 Monolithic activated carbons from resin impregnated expanded graphite
- 773 Effect of moisture in microporous activated carbon on the adsorption of methane
- 776 Preparation of activated carbon-sepiolite pellets
- 779 Formation of B/C composites containing B₄C from sugar-organoborane complexes
- 782 Chemical modification of the inner walls of carbon nanotubes by HNO₃ oxidation
- 787 Corrigendum to "Synthesis of carbon nanotubes below room temperature" [CARBON 39(1) 155-158]

Number 6

- B.C. Moore, F.S. Cannon,**
J.A. Westrick, D.H. Metz,
C.A. Shrive, J. DeMarco
and D.J. Hartman
- N.S. Murthy,**
S.O. Dantas, Z. Iqbal
and R.H. Baughman
- H. Darmstadt,**
M. Garcia-Perez,
A. Chaala, N.-Z. Cao
and C. Roy
- X.K. Li, L. Liu,**
Sh. Ge, Sh.D. Shen,
J.R. Song, Y.X. Zhang
and P.H. Li
- J.-M. Ting and**
N.Z. Huang
- H. Darmstadt**
and C. Roy
- C.M. González-García,**
M.L. González-Martín,
V. Gómez-Serrano,
J.M. Bruque and
L. Labajos-Broncano
- R. Petričević, M. Gloga**
and J. Fricke
- 789 Changes in GAC pore structure during full-scale water treatment at Cincinnati: A comparison between virgin and thermally reactivated GAC
- 809 X-ray diffraction evidence for the formation of a discotic phase during graphitization
- 815 Co-pyrolysis under vacuum of sugar cane bagasse and petroleum residue. Properties of the char and activated char products
- 827 The preparation of Ti(C,N,O) nanoparticles using binary carbonaceous titania aerogel
- 835 Thickening of chemical vapor deposited carbon fiber
- 841 Comparative investigation of defects on carbon black surfaces by nitrogen adsorption and SIMS
- 849 Analysis of the adsorption isotherms of a non-ionic surfactant from aqueous solution onto activated carbons
- 857 Planar fibre reinforced carbon aerogels for application in PEM fuel cells

- C. Moreno-Castilla,
F. Carrasco-Marín,
C. Parejo-Pérez and
M.V. López Ramón
- Z. Hu, M.P. Srinivasan
and Y. Ni
- Y. Hu and R.H. Hurt
- Q. Liang, L.Z. Gao,
Q. Li, S.H. Tang,
B.C. Liu and Z.L. Yu
- V.D. Blank, A.A. Nuzdin,
R.Kh. Bagramov and
V.M. Prokhorov
- P.J.F. Harris
- M. Inagaki and
T. Suwa
- M. Inagaki, K. Fujita,
Y. Takeuchi, K. Oshida,
H. Iwata and H. Konno
- U. Tanaka, T. Sogabe,
H. Sakagoshi, M. Ito
and T. Tojo
- E. Frackowiak
and F. Béguin
- K.O. Nowack, R. Rioux,
C. Na, X. Wu and
L.R. Radovic
- Y. Sato, R. Hagiwara
and Y. Ito
- 869 Dehydration of methanol to dimethyl ether catalyzed by oxidized activated carbons with varying surface acidic character
- 877 Novel activation process for preparing highly microporous and mesoporous activated carbons
- 887 Thermodynamics of carbonaceous mesophase II. General theory for nonideal solutions
- 897 Carbon nanotube growth on Ni-particles prepared in situ by reduction of La_2NiO_4
- 905 A comparison of some thermodynamic parameters between super-hard fullerite, some metals and some covalent elements
- 909 Carbonaceous contaminants on support films for transmission electron microscopy
- 915 Pore structure analysis of exfoliated graphite using image processing of scanning electron micrographs
- 921 Formation of graphite crystals at 1000–1200°C from mixtures of vinyl polymers with metal oxides
- 931 Anode property of boron-doped graphite materials for rechargeable lithium-ion batteries
- Review*
- 937 Carbon materials for the electrochemical storage of energy in capacitors
- Letters to the Editor*
- 951 A commentary on "Effect of metal additives on the physico-chemical characteristics of activated carbon exemplified by benzene and acetic acid adsorption"
- 954 Thermal decomposition mechanism of fluorine-graphite intercalation compounds

Number 7

- H.-k. Shin, H.-B. Lee
and K.-S. Kim
- S. Labruquère, X. Bourrat,
R. Pailler and
R. Naslain
- X. Luo and D.D.L. Chung
- L. Snell, A. Nelson
and P. Molian
- P. Carreira,
M. Martínez-Escandell,
R. Santamaría and
F. Rodríguez-Reinoso
- W. Zhang and
K.J. Hüttinger
- 959 Tribological properties of pitch-based 2-D carbon-carbon composites
- 971 Structure and oxidation of C/C composites: role of the interface
- 985 Flexible graphite under repeated compression studied by electrical resistance measurements
- 991 A novel laser technique for oxidation-resistant coating of carbon-carbon composite
- 1001 Co-pyrolysis of an aromatic petroleum residue with triphenylsilane
- 1013 Chemical vapor infiltration of carbon – revised. Part I: Model simulations

- Z. Hu and K.J. Hüttinger 1023 Chemical vapor infiltration of carbon — revised. Part II: Experimental results
- G.A. Kovalenko, E.V. Kuznetsova, Yu.I. Mogilnykh, I.S. Andreeva, D.G. Kuvshinov and N.A. Rudina 1033 Catalytic filamentous carbons for immobilization of biologically active substances and non-growing bacterial cells
- C.S. Yoon, C.K. Kim and J. Megusar 1045 Simulation of the twin interface in graphite
- D.-Y. Kim, Y. Nishiyama, M. Wada and S. Kuga 1051 Graphitization of highly crystalline cellulose
- M.A. Montes-Morán, A. Martínez-Alonso, J.M.D. Tascón, M.C. Paiva and C.A. Bernardo 1057 Effects of plasma oxidation on the surface and interfacial properties of carbon fibres/polycarbonate composites
- I. Abe, T. Fukuhara, J. Maruyama, H. Tatsumoto and S. Iwasaki 1069 Preparation of carbonaceous adsorbents for removal of chloroform from drinking water
- C.-M. Yang and K. Kaneko 1075 Adsorption properties of nitrogen-alloyed activated carbon fiber
- M. Inagaki and O. Tanaike 1083 Determining factors for the intercalation into carbon materials from organic solutions
- M.C. Paiva, C.A. Bernardo and D.D. Edie 1091 A comparative analysis of alternative models to predict the tensile strength of untreated and surface oxidised carbon fibers
- Letters to the Editor*
- S.-S. Tzeng and P.-L. Wang 1103 Oxidation of a petroleum pitch under pressure
- W.K. Hsu, Y.Q. Zhu, S. Firth, M. Terrones, H. Terrones, S. Trasobares, R.J.H. Clark, H.W. Kroto and D.R.M. Walton 1107 $W_1Mo_5C_2S_2$ nanotubes
- F. Suárez-García, A. Martínez-Alonso and J.M.D. Tascón 1111 Porous texture of activated carbons prepared by phosphoric acid activation of apple pulp
- F. Stoeckli, M.V. López-Ramón, D. Hugli-Cleary and A. Guillot 1115 Micropore sizes in activated carbons determined from the Dubinin-Radushkevich equation

Number 8

Review article

- D.D.L. Chung 1119 Comparison of submicron-diameter carbon filaments and conventional carbon fibers as fillers in composite materials

Regular papers

- L. Cheng, Y. Xu, L. Zhang and R. Gao 1127 Effect of glass sealing on the oxidation behavior of three dimensional C/SiC composites in air

- A. Cuesta,
A. Martínez-Alonso
and J.M.D. Tascón 1135 Carbon reactivity in an oxygen plasma: a comparison with reactivity in molecular oxygen
- D. Pantea, H. Darmstadt,
S. Kaliaguine,
L. Stimmchen and
C. Roy 1147 Electrical conductivity of thermal carbon blacks. Influence of surface chemistry
- C.Y. Cha and
D.S. Kim 1159 Microwave induced reactions of sulfur dioxide and nitrogen oxides in char and anthracite bed
- D.B. Mawhinney
and J.T. Yates Jr. 1167 FTIR study of the oxidation of amorphous carbon by ozone at 300 K — direct COOH formation
- C. Collins, N. Thadhani
and Z. Iqbal 1175 Shock-compression of C-N precursors for possible synthesis of β -C₃N₄
- M.D. Shirk and
P.A. Molian 1183 Ultra-short pulsed laser ablation of highly oriented pyrolytic graphite
- A. Dekanski,
J. Stevanović,
R. Stevanović,
B.Ž. Nikolić
and V.M. Jovanović 1195 Glassy carbon electrodes I. Characterization and electrochemical activation
- A. Dekanski,
J. Stevanović,
R. Stevanović
and V.M. Jovanović 1207 Glassy carbon electrodes II. Modification by immersion in AgNO₃
- K. László,
E. Tombácz and
K. Josepovits 1217 Effect of activation on the surface chemistry of carbons from polymer precursors
- S.-J. Park and
M.-K. Seo 1229 The effects of MoSi₂ on the oxidation behavior of carbon/carbon composites
- S. Ismadji and
S.K. Bhatia 1237 Characterization of activated carbons using liquid phase adsorption
- M. Monthieux,
B.W. Smith, B. Burtiaux,
A. Claye, J.E. Fischer
and D.E. Luzzi 1251 Sensitivity of single-wall carbon nanotubes to chemical processing: an electron microscopy investigation
- G. Maurin, I. Stepanek,
P. Bernier, J.-F. Colomer,
J.B. Nagy and
F. Henn 1273 Segmented and opened multi-walled carbon nanotubes
- E. Daguerre, A. Guillot
and F. Stoeckli 1279 Activated carbons prepared from thermally and chemically treated petroleum and coal tar pitches

Number 9

Review article

- M. Endo, Y.A. Kim,
T. Hayashi, K. Nishimura,
T. Matusita, K. Miyashita
and M.S. Dresselhaus 1287 Vapor-grown carbon fibers (VGCfs). Basic properties and their battery applications

Regular papers

- J.K. Lee, K.W. An, J.B. Ju,
B.W. Cho, W.I. Cho,
D. Park and K.S. Yun 1299 Electrochemical properties of PAN-based carbon fibers as anodes for rechargeable lithium ion batteries

- | | | |
|--|------|--|
| J. Libera and Y. Gogotsi | 1307 | Hydrothermal synthesis of graphite tubes using Ni catalyst |
| A. Bagreev, H. Rahman and T.J. Bandoz | 1319 | Thermal regeneration of a spent activated carbon previously used as hydrogen sulfide adsorbent |
| C. Nguyen and D.D. Do | 1327 | The Dubinin-Radushkevich equation and the underlying microscopic adsorption description |
| K. Shibagaki, S. Motojima, Y. Umemoto and Y. Nishitani | 1337 | Outermost surface microstructure of as-grown, heat-treated and partially oxidized carbon microcoils |
| D. Lozano-Castelló, D. Cazorla-Amorós, A. Linares-Solano, P.J. Hall, D. Gascon and C. Galan | 1343 | In situ small angle neutron scattering study of CD ₄ adsorption under pressure in activated carbons |
| D. Rovillain, M. Trinquécoste, E. Bruneton, A. Derré, P. David and P. Delhaès | 1355 | Film boiling chemical vapor infiltration. An experimental study on carbon/carbon composite materials |
| A.R. Sánchez, A.A. Elguézabal and L. de La Torre Saenz | 1367 | CO ₂ activation of char from <i>Quercus agrifolia</i> wood waste |
| M.E. Semaan, L. Nikiel and C.A. Quarles | 1379 | Doppler broadening spectroscopy of carbon black and carbon black-filled rubbers |
| P. Davini | 1387 | SO ₂ adsorption by activated carbons with various burnoffs obtained from a bituminous coal |
| D. Guo, K. Cai, L.-t. Li, Y. Huang, Z.-l. Gui and H.-s. Zhu | 1395 | Evaluation of diamond-like carbon films electrodeposited on an Al substrate from the liquid phase with pulse-modulated power |
| Y. Muramatsu, Y. Ueno, Y. Ishiwata, R. Eguchi, M. Watanabe, S. Shin and R.C.C. Perera | 1399 | Soft X-ray emission and absorption spectra in the O K region of oxygen incorporated in microporous carbon |
| Y. Muramatsu, S. Hirono, S. Umemura, Y. Ueno, T. Hayashi, M.M. Grush, E.M. Gullikson and R.C.C. Perera | 1403 | Soft X-ray emission and absorption spectra in the C K region of sputtered amorphous carbon films |
| C. Natarajan, H. Fujimoto, K. Tokumitsu, A. Mabuchi and T. Kasuh | 1409 | Reduction of the irreversible capacity of a graphite anode by the CVD process |
| C. Moreno-Castilla, F. Carrasco-Marín, M.V. López-Ramón and M.A. Alvarez-Merino | 1415 | Chemical and physical activation of olive-mill waste water to produce activated carbons |
| <i>Letters to the Editor</i> | | |
| M.B. Shiflett and H.C. Foley | 1421 | Reproducible production of nanoporous carbon membranes |
| R. Houriet, R. Vacassy, H. Hofmann, Y. Von Kaenel and H. Hofmeister | 1425 | Formation of a novel carbon microstructure using laser atomization: carbon nanocurils |
| Y. Li, S. Xie, W. Zhou, D. Tang, Z. Liu, X. Zou and G. Wang | 1429 | Small diameter carbon nanotubes synthesized in an arc-discharge |

- | | | |
|--|------|--|
| X. Li, L. Liu and S. Shen | 1431 | Structure of ultrafine carbon powders prepared using a carbonaceous gel |
| N. Ohta, T. Sogabe and K. Kuroda | 1434 | A novel binder for the graphite anode of rechargeable lithium ion batteries for the improvement of reversible capacity |
| M. Neitsch, W. Heschel and M. Suckow | 1437 | Water vapor adsorption by activated carbon: a modification to the isotherm model of Do and Do |
| D. Hulicova, F. Sato, K. Okabe, M. Koishi and A. Oya | 1438 | An attempt to prepare carbon nanotubes by the spinning of microcapsules |
| J.-S. Yu, S.B. Yoon and G.S. Chai | 1442 | Ordered uniform porous carbon by carbonization of sugars |

Number 10

Review article

- | | | |
|-----------------------------------|------|--------------------------------------|
| H.-M. Cheng, Q.-H. Yan and C. Liu | 1447 | Hydrogen storage in carbon nanotubes |
|-----------------------------------|------|--------------------------------------|

Regular papers

- | | | |
|--|------|---|
| N. Douarche, D. Rouby, G. Peix and J.M. Jouin | 1455 | Relations between x-ray tomography, density and mechanical properties in carbon-carbon composites |
| J. Chen, Y. Li, Y. Ma, Y. Qin and L. Chang | 1467 | Formation of bamboo-shaped carbon filaments and dependence of their morphology on catalyst composition and reaction conditions |
| T. Aoki, H. Hatta, T. Hitomi, H. Fukuda and I. Shiota | 1477 | SiC/C multi-layered coating contributing to the antioxidation of C/C composites and the suppression of through-thickness cracks in the layer |
| I. Abe, T. Fukuhara, S. Iwasaki, K. Yasuda, K. Nakagawa, Y. Iwata, H. Kominami and Y. Kera | 1485 | Development of a high density carbonaceous adsorbent from compressed wood |
| J.P. Chen and M. Lin | 1491 | Surface charge and metal ion adsorption on an H-type activated carbon: experimental observation and modeling simulation by the surface complex formation approach |
| L. Denk, H. Hatta, A. Misawa and S. Somiya | 1505 | Shear fracture of C/C composites with variable stacking sequence |
| H. Tamai, S. Matsuoka, M. Ishihara and H. Yasuda | 1515 | New carbon materials from pitch containing organotin compounds for anode of lithium ion batteries |
| N. Iwashita, M.V. Swain, J.S. Field, N. Ohta and S. Bitoh | 1525 | Elasto-plastic deformation of glass-like carbons heat-treated at different temperatures |
| X. Wang, W. Hu, Y. Liu, C. Long, Y. Xu, S. Zhou, D. Zhu and L. Dai | 1533 | Bamboo-like carbon nanotubes produced by pyrolysis of iron(II) phthalocyanine |
| S.F. Wu, K. Yanagisawa and T. Nishizawa | 1537 | ζ -potential on carbons and carbides |

- P.J.M. Carrott,
J.M.V. Nabais,
M.M.L. Ribeiro Carrott
and J.A. Pajares
- E. Bourelle, Y. Tanabe,
E. Yasuda and
S. Kimura
- A. Tanaka, T. Abe,
J. Mondori, C. Yamaguchi,
K. Tokumitsu and
H. Matsui
- J.I. Paredes,
A. Martínez-Alonso
and J.M.D. Tascón
- T.W. Zerda, X. Yuan
and S.M. Moore
- K. Tanaka, A. Ito,
T. Yoshii, S. Suehiro,
S. Nagura, N. Ando
and Y. Hato
- K. Shibagaki and
S. Motojima
- Y.Z. Wan, Y.L. Wang,
G.X. Cheng, H.L. Luo
and X.H. Dong
- J.-i. Ozaki, Y. Yoshimoto,
A. Oya, T. Takarada,
V.V. Kuznetsov and
Z.R. Ismagilov
- Y. Korai, K. Yamamoto,
T. Tsunawaki, C.-H. Ku,
I. Mochida, K. Higuchi
and T. Inoue
- 1543 Preparation of activated carbon fibres from acrylic textile fibres
- 1557 STM study on surfaces of HOPG modified by implantation and heat treatment
- 1567 Characterization of pitches by an ultrasonic method. Change in the molecular aggregation state during air-blowing
- 1575 Surface characterization of submicron vapor grown carbon fibers by scanning tunneling microscopy
- 1589 Effects of fuel additives on the microstructure of combustion engine deposits
- 1599 Fractal dimension analysis of polyacenic semiconductive (PAS) materials
- Letters to the Editor*
- 1605 Distribution of sulfur in bulk carbon microcoils
- 1607 Preparation and characterization of activated carbon fiber supporting silver-loaded mesoporous molecular sieves
- 1611 H₂S decomposition activity of TS carbon derived from furan resin
- 1613 Structure and properties of isotropic carbon produced at 200–300°C in heat exchangers of commercial ethylene dichloride (EDC) pyrolysis

Number 11

- K.S. Ko, C.W. Park,
S.-H. Yoon and S.M. Oh
- Y.-G. Wang, Y. Korai,
I. Mochida, K. Nagayama,
H. Hatano and
N. Fukuda
- J.-W. Shim, S.-J. Park
and S.-K. Ryu
- O. Yamamoto, K. Nakakoshi,
T. Sasamoto, H. Nakagawa
and K. Miura
- S. Biloe, V. Goetz
and S. Mauran
- 1619 Preparation of Kevlar-derived carbon fibers and their anodic performances in Li secondary batteries
- 1627 Modification of synthetic mesophase pitch with iron oxide, Fe₂O₃
- 1635 Effect of modification with HNO₃ and NaOH on metal adsorption by pitch-based activated carbon fibers
- 1643 Adsorption and growth inhibition of bacteria on carbon materials containing zinc oxide
- 1653 Characterization of adsorbent composite blocks for methane storage

- P. Albers, A. Karl,
J. Mathias, D.K. Ross
and S.F. Parker 1663 INS-, XPS- and SIMS-investigations on the controlled post-oxidation of pigment blacks. Detection of different species of strongly adsorbed water
- K. Yamada and Y. Tanabe 1677 A carbyne without vacancy sublattice
- R. Andrews, D. Jacques,
D. Qian and
E.C. Dickey 1681 Purification and structural annealing of multiwalled carbon nanotubes at graphitization temperatures
- C.L. Mangun, J.A. DeBarr
and J. Economy 1689 Adsorption of sulfur dioxide on ammonia-treated activated carbon fibers
- M. Toyoda, A. Shimizu,
H. Iwata and
M. Inagaki 1697 Exfoliation of carbon fibers through intercalation compounds synthesized electrochemically
- Y.C. Sui,
J.A. González-León,
A. Bermúdez and
J.M. Saniger 1709 Synthesis of multi branched carbon nanotubes in porous anodic aluminum oxide template
- X. Shui and D.D.L. Chung 1717 Electrical resistivity of submicron-diameter carbon-filament compacts
- R. Kurt, J.-M. Bonard
and A. Karimi 1723 Morphology and field emission properties of nano-structured nitrogenated carbon films produced by plasma enhanced hot filament CVD
- H. Konno, K. Shiba,
Y. Kaburagi, Y. Hishiyama
and M. Inagaki 1731 Carbonization and graphitization of Kapton-type polyimide film having boron-bearing functional groups
- S.-J. Park and
K.-D. Kim 1741 Influence of activation temperature on adsorption characteristics of activated carbon fiber composites
- Y.A. Kim, T. Matusita,
T. Hayashi, M. Endo
and M.S. Dresselhaus 1747 Topological changes of vapor grown carbon fibers during heat treatment
- H. Fujimoto and
M. Shiraishi 1753 Characterization of unordered carbon using Warren-Bodenstein's equation
- Letters to the Editor*
- B. Basavalingu,
J.M. Calderon Moreno,
K. Byrappa, Y.G. Gogotsi
and M. Yoshimura 1763 Decomposition of silicon carbide in the presence of organic compounds under hydrothermal conditions
- A. Hérold and
J.-F. Maréché 1766 Attack of graphite by liquid sodium: some kinetic data
- G.E. Gadd, M. Collela,
M. Blackford, A. Dixon,
P.J. Evans, D. McCulloch,
S. Bulcock and
D. Cockayne 1769 The encapsulation of Ni in graphitic layers using C₆₀ as a precursor
- C. Byrne and Z. Wang 1789 Influence of thermal properties on friction performance of carbon composites
- K. Li, L. Ling,
C. Lu, W. Qiao,
Z. Liu, L. Liu
and I. Mochida 1803 Catalytic removal of SO₂ over ammonia-activated carbon fibers

- | | | |
|--|------|--|
| C.L. Mangun, K.R. Benak,
J. Economy and
K.L. Foster | 1809 | Surface chemistry, pore sizes and adsorption properties of activated carbon fibers and precursors treated with ammonia |
| L. Lu, V. Sahajwalla,
C. Kong and
D. Harris | 1821 | Quantitative X-ray diffraction analysis and its application to various coals |
| X. Xu and P.D. Pacey | 1835 | Interactions between acetylene and carbon nanotubes at 893 and 1019 K |
| S.A. Dastgheib and
D.A. Rockstraw | 1849 | Pecan shell activated carbon: synthesis, characterization, and application for the removal of copper from aqueous solution |
| A.J. Groszek | 1857 | Heats of water adsorption on microporous carbons from nitrogen and methane carriers |
| K. Fukuyama, T. Nishizawa
and K. Nishikawa | 1863 | Effect of hot isostatic pressing on nanopore in glass-like carbon prepared from phenol-formaldehyde resin |
| M. Shioya, T. Ojima
and J. Yamashita | 1869 | Activation energy of structural development for phenol formaldehyde resin-based carbon fibers |
| C. Herry, M. Baudu
and D. Raveau | 1879 | Estimation of the influence of structural elements of activated carbons on the energetic components of adsorption |
| C.J. Lee and
J. Park | 1891 | Growth and structure of carbon nanotubes produced by thermal chemical vapor deposition |
| A. Bagreev, F. Adib
and T.J. Bandoz | 1897 | pH of activated carbon surface as an indication of its suitability for H ₂ S removal from moist air streams |
| H. Dodziuk, G. Dolgonos
and O. Lukin | 1907 | Molecular mechanics study of endohedral fullerene complexes with small molecules |
| M. Shiraishi and
M. Ata | 1913 | Work function of carbon nanotubes |
| M. Kočířík,
J. Brych and
J. Hradil | 1919 | Carbonization of bead-shaped polymers for application in adsorption and in composite membranes |
| <i>Letters to the Editor</i> | | |
| Z. Ryu, J. Zheng,
M. Wang and
B. Zhang | 1929 | Synthesis and characterization of silicon carbide whiskers |
| R. Janot, J. Conard
and D. Guérard | 1931 | Ball milling: a new route for the synthesis of superdense lithium GICS |
| G. Qin and
S. Guo | 1935 | Preparation of RF organic aerogels and carbon aerogels by alcoholic sol-gel process |
| V.Z. Mordkovich,
Y. Shiratori,
H. Hiraoka, A.G. Umnov
and Y. Takeuchi | 1938 | A path to larger yields of multisheet fullerenes |

Number 13

- | | | |
|--|------|--|
| K. László and
A. Szűcs | 1945 | Surface characterization of polyethyleneterephthalate (PET) based activated carbon and the effect of pH on its adsorption capacity from aqueous phenol and 2,3,4-trichlorophenol solutions |
| E. Bourelle, Y. Kaburagi,
Y. Hishiyama and
M. Inagaki | 1955 | STM study of surfaces of kish graphite doped by iron |

- | | | |
|--|------|---|
| H. Tamai, N. Katsu,
K. Ono and
H. Yasuda | 1963 | Antibacterial activated carbons prepared from pitch containing organometallics |
| A. Bagreev, T.J. Bandoz
and D.C. Locke | 1971 | Pore structure and surface chemistry of adsorbents obtained by pyrolysis of sewage sludge-derived fertilizer |
| H. Teng, Y.-J. Chang
and C.-T. Hsieh | 1981 | Performance of electric double-layer capacitors using carbons prepared from phenol-formaldehyde resins by KOH etching |
| W.-C. Li, A.-H. Lu
and S.-C. Guo | 1989 | Characterization of the microstructures of organic and carbon aerogels based upon mixed cresol-formaldehyde |
| Y. Xu and D.D.L. Chung | 1995 | Silane-treated carbon fiber for reinforcing cement |
| M. Endo, Y.A. Kim,
T. Takeda, S.H. Hong,
T. Matusita, T. Hayashi
and M.S. Dresselhaus | 2003 | Structural characterization of carbon nanofibers obtained by hydro-carbon pyrolysis |
| S.-J. Park and J.-S. Kim | 2011 | Modifications produced by electrochemical treatments on carbon blacks. Microstructures and mechanical interfacial properties |
| K. Fukuyama, T. Nishizawa
and K. Nishikawa | 2017 | Investigation of the pore structure in glass-like carbon prepared from furan resin |
| L. Kaluža
and M. Zdražil | 2023 | Carbon-supported Mo catalysts prepared by a new impregnation method using a MoO ₃ /water slurry: saturated loading, hydro-desulfurization activity and promotion by Co |
| H.-T. Fang, Z.-D. Yin,
J.-C. Zhu, J.-H. Jeon
and Y.-D. Hahn | 2035 | Effect of Al additive in Si slurry coating on liquid Si infiltration into carbon-carbon composites |
| J. Leis, A. Perkson,
M. Arulepp, M. Käärrik
and G. Svensson | 2043 | Carbon nanostructures produced by chlorinating aluminium carbide |
| D. Sarneo, S. Blazewicz,
M. Mermoux and
Ph. Touzain | 2049 | Intercalation of manganese chloride into mesophase pitch-based graphite fibers via gaseous complexes |
| A. Guillot and
F. Stoeckli | 2059 | Reference isotherm for high pressure adsorption of CO ₂ by carbons at 273 K |
| G. Chollon, O. Siron,
J. Takahashi, H. Yamauchi,
K. Maeda and
K. Kosaka | 2065 | Microstructure and mechanical properties of coal tar pitch-based 2D-C/C composites with a filler addition |
| <i>Letters to the Editor</i> | | |
| X. Li, H. Zhu,
L. Ci, C. Xu,
Z. Mao, B. Wei,
J. Liang and D. Wu | 2077 | Hydrogen uptake by graphitized multi-walled carbon nanotubes under moderate pressure and at room temperature |
| Z. Li and M. Jaroniec | 2080 | Silica gel-templated mesoporous carbons prepared from mesophase pitch and polyacrylonitrile |
| A. Goto, M. Kyotani,
K. Tsugawa, G. Piao,
K. Akagi and
Y. Koga | 2082 | Structure of pyrolytic carbon from polyacetylene |
| Y. Nagaosa and
E. Aoyama | 2087 | Catalytic oxidation of phosphite and hypophosphite to phosphate on Pd/activated carbon powder |

Number 14

- D. Santoro and R. Louw 2091 Gas phase hydrogenolysis mediated by activated carbon: substituted chlorobenzenes
- M.E. Beauharnois, D.D. Edie and M.C. Thies 2101 Carbon fibers from mixtures of AR and supercritically extracted mesophases
- M.J.G. Linders, L.J.P. van den Broeke, T.A. Nijhuis, F. Kapteijn and J.A. Moulijn 2113 Modelling sorption and diffusion in activated carbon: a novel low pressure pulse-response technique
- B. Singh, G.K. Prasad, M.V.S. Suryanarayana and S. Banerjee 2131 The reaction of thiodiglycol on metal-impregnated carbon
- Y.-Y. Li, K. Mochidzuki, A. Sakoda and M. Suzuki 2143 Activation studies of vapor-grown carbon fibers with supercritical fluids
- M. Bonnissel, L. Luo and D. Tondeur 2151 Compacted exfoliated natural graphite as heat conduction medium
- R. Kurt, C. Klinke, J.-M. Bonard, K. Kern and A. Karimi 2163 Tailoring the diameter of decorated C-N nanotubes by temperature variations using HF-CVD
- P. Davini 2173 SO₂ and NO_x adsorption properties of activated carbons obtained from a pitch containing iron derivatives
- D. Carmier, C. Vix-Guterl and J. Lahaye 2181 Porosity of the cathode during the discharge of SOCl₂/Li batteries. I. Industrial cathodes
- D. Carmier, C. Vix-Guterl and J. Lahaye 2187 Porosity of the cathode during the discharge of SOCl₂/Li batteries. II. Model cathodes
- Y.J. Jung, B. Wei, J. Nugent and P.M. Ajayan 2195 Controlling growth of carbon microtrees
- T.L. Makarova, B. Sundqvist, P. Scharff, M.E. Gaevski, E. Olsson, V.A. Davydov, A.V. Rakhmanina and L.S. Kashevarova 2203 Electrical properties of two-dimensional fullerene matrices
- Q. Wang, H. Li, L. Chen and X. Huang 2211 Monodispersed hard carbon spherules with uniform nanopores
- L.P. Ding and S.K. Bhatia 2215 Application of heterogeneous vacancy solution theory to characterization of microporous solids
- M. Toyoda, H. Katoh and M. Inagaki 2231 Intercalation of nitric acid into carbon fibers
- F. Stoeckli, C. Moreno-Castilla, F. Carrasco-Marín and M.V. López-Ramón 2235 Distribution of surface oxygen complexes on activated carbons from immersion calorimetry, titration and temperature-programmed desorption techniques

Letters to the Editor

Number 15

Review article

- B.R. Stanmore, J.F. Brilhac and P. Gilot 2247 The oxidation of soot: a review of experiments, mechanisms and models

Regular papers

- R.F.P.M. Moreira, H.J. José and A.E. Rodrigues 2259 Modification of pore size in activated carbon by polymer deposition and its effects on molecular sieve selectivity
- R.L. Vander Wal, T.M. Ticich and V.E. Curtis 2277 Substrate-support interactions in metal-catalyzed carbon nanofiber growth
- G.G. Tibbetts, G.P. Meisner and C.H. Olk 2291 Hydrogen storage capacity of carbon nanotubes, filaments, and vapor-grown fibers
- A. Bagreev and T.J. Bandosz 2303 H₂S adsorption/oxidation on unmodified activated carbons: importance of prehumidification
- A.M. Puziy, O.I. Poddubnaya, J.A. Ritter, A.D. Ebner and C.E. Holland 2313 Elucidation of the ion binding mechanism in heterogeneous carbon-composite adsorbents
- J. Dong, W. Shen, B. Zhang, X. Liu, F. Kang, J. Gu, D. Li and N. Chen 2325 New origin of spirals and new growth process of carbon whiskers
- X. Li, L. Liu and S. Shen 2335 The influence of starting materials on the structure of ultrafine carbon powders
- L. Cossarutto, T. Zimny, J. Kaczmarczyk, T. Siemienińska, J. Bimer and J.V. Weber 2339 Transport and sorption of water vapour in activated carbons
- Y. Tanabe, J. Yamanaka, K. Hoshi, H. Migita and E. Yasuda 2347 Surface graphitization of Furan-resin-derived carbon
- W. Qiao, Y. Korai, I. Mochida, Y. Hori and T. Maeda 2355 Preparation of an activated carbon artifact: factors influencing strength when using a thermoplastic polymer as binder

Letters to the Editor

- Y. Wen and Z. Shen 2369 Synthesis of regular coiled carbon nanotubes by Ni-catalyzed pyrolysis of acetylene and a growth mechanism analysis
- T. Yamamoto, T. Nishimura, T. Suzuki and H. Tamon 2374 Effect of drying conditions on mesoporosity of carbon precursors prepared by sol-gel polycondensation and freeze drying
- X. Bourrat, J. Lavenac, F. Langlais and R. Naslain 2376 The role of pentagons in the growth of laminar pyrocarbon

H. Konno, T. Kinomura,
and M. Aramata

2381 Formation of β -SiC from exfoliated graphite and silicone

C. Ishii, K. Koseki,
T. Amari, Y. Hanzawa,
N. Yoshizawa, H. Hatori,
Y. Yamada and
S. Yamazaki

2384 Flow behaviour of graphitized carbon black suspensions



